


WHAT'S NEW IN... EARTH BARS


Earth Bars

Standard Earth Bars



Earth Bars Without Link

Remora Standard Earth Bars are an effective and convenient way of providing a common earthing point. Manufactured using high conductivity 50x6mm hard drawn copper bar, ensuring your compliance with IEC 62305. Supplied complete with brass stud assemblies and set on a steel channel base.



Standard Earth Bars

- | | | |
|---|-------------------------|----------------------------|
| 1 | 50 x 6mm Copper Bar | HDHC Copper Bar |
| 2 | M10 x 36mm Insulator | Glass Reinforced Polyester |
| 3 | 64 x 15mm Base | Galvanised Steel |
| 4 | M10 Hex Bolt/Nut/Washer | Brass |
| 5 | M10 Hex Bolt/Nut/Washer | BZP Mild Steel |

Bar Material: C101 99.9% Copper BS EN 13601:2013 / BS EN 12167:2011

Fasteners: M10x 40mm Brass CZ121 / BS 3643-1:2007

Base: Galvanised Steel Channel

Compliance: IEC 62305 / BS EN 62561-1:2012 / BS EN 7430



Code	Studs	Stud Size	Stud Spacing (A)	Bar Length (L2)	Base Width
EB04	4	M10 x 40	50.0	300.0	65.0
EB06	6	M10 x 40	50.0	450.0	65.0
EB08	8	M10 x 40	50.0	550.0	65.0
EB10	10	M10 x 40	50.0	650.0	65.0
EB12	12	M10 x 40	50.0	800.0	65.0
EB16	16	M10 x 40	50.0	1,050.0	65.0
EB20	20	M10 x 40	50.0	1,250.0	65.0

Code	Studs	Stud Size	Stud Spacing (A)	Bar Length (L2)	Base Width
EBDC - Test Link	1	M10 x 40	50.0	125.0	65.0

