

# STAINLESS STEEL CABLE TIES | Cable Ties & Banding

## STAINLESS STEEL CABLE TIES

### 316 Stainless Steel - Uncoated

- Salt spray, corrosion & weather resistant
  - Outstanding chemical resistance
- Temperature Range:** -80°C to 500°C  
**Material:** 316 Stainless Steel  
**Standards:** UL and DNV Certified



Stainless Steel Tie Base (see p.232)



#### Loop Tensile

Code	Length (A)	Width (B)	Max Bundle Dia.	Strength (Kg)	Newtons
SSCT200x4.6	200	4.6	62.0	89.0	890.0
SSCT360x4.6	360	4.6	113.0	89.0	890.0
SSCT360x7.9	360	7.9	113.0	160.0	1,600.0
SSCT520x7.9	520	7.9	164.0	160.0	1,600.0

### 316 Stainless Steel - Coated

- Salt spray, corrosion & weather resistant
  - Outstanding chemical resistance
- Temperature Range:** -40°C to 150°C  
**Material:** 316 Stainless Steel  
**Coating:** Pure Polyester/Epoxy  
**Standards:** UL Certification E227552 / DNV Certification E-6729




Other colours available on request

#### Loop Tensile

Code	Length (A)	Width (B)	Max Bundle Dia.	Strength (Kg)	Newtons
SSCT200x4.6-COATED	200	4.6	50.0	68.0	667.0
SSCT360x4.6-COATED	360	4.6	102.0	68.0	667.0
SSCT360x7.9-COATED	360	7.9	102.0	136.0	1,335.0
SSCT520x7.9-COATED	520	7.9	152.0	136.0	1,335.0

## Manual Tensioning Tool

Tensions and cuts off Stainless Steel Ties up to 12.7mm wide regardless of material or coating.



Code	Description
KE922	Metal tool designed for coated or uncoated Stainless Steel cable ties up to 0.3mm and up to 12.7mm width. Once the desired tension is reached the tool has a manual lever to cut off tail excess tie length.



## Stainless Steel Tensioning Tool

Hand tool for tensioning Stainless Steel Cable Ties up to 7.9mm width. Complete with tension indicator and automatic excess tie cut-off.

**Material:** Steel



Code	Description
CT511	Metal tool designed for coated or uncoated Stainless Steel cable ties from 0.3 to 7.9mm width. Complete with tension indicator and automatic tie excess cut off

