



MICC RPSL 'Earth Tail' Cable Seals

RPSL seals (commonly known as Earth Tail Seals) are designed to be used in conjunction with Remora RGM cable glands. Manufactured and tested to BS EN 60702-2:2002. Earth Tail Seals have an integral 150mm Earth Tail soldered into the base of the brass pot. Providing earth continuity for conductor sizes up to 50mm².

Certification: BS EN 60702-2:2002

Temperature Range: -20°C to 105°C



Light Duty Cables

Code	Cable Size	Gland Size
RPSL2L1.0	MICC2L1.0	M20
RPSL2L1.5	MICC2L1.5	M20
RPSL2L2.5	MICC2L2.5	M20
RPSL2L4.0	MICC2L1.4	M20
RPSL3L1.0	MICC3L1.0	M20
RPSL3L1.5	MICC3L1.5	M20
RPSL3L2.5	MICC3L2.5	M20
RPSL4L1.0	MICC4L1.0	M20
RPSL4L1.5	MICC4L1.5	M20
RPSL4L2.5	MICC4L2.5	M20
RPSL7L1.0	MICC7L1.0	M25
RPSL7L1.5	MICC7L1.5	M25
RPSL7L2.5	MICC7L2.5	M25

Heavy Duty Cables

Code	Cable Size	Gland Size
RPSL2H1.5	MICC2H1.5	M20
RPSL2H2.5	MICC2H2.5	M20
RPSL2H4-M25	MICC2H4	M25
RPSL2H6-M25	MICC2H6	M25
RPSL2H10-M32	MICC2H10	M32
RPSL2H16-M40	MICC2H16	M40
RPSL2H25-M40	MICC2H25	M40
RPSL3H1.5	MICC3H1.5	M20
RPSL3H2.5-M25	MICC3H2.5	M25
RPSL3H4-M25	MICC3H4	M25
RPSL3H6-M25	MICC3H6	M25
RPSL3H10-M32	MICC3H10	M32
RPSL3H16-M40	MICC3H16	M40
RPSL3H25-M40	MICC3H25	M40
RPSL4H1.5	MICC4H1.5	M20
RPSL4H2.5-M25	MICC4H2.5	M25
RPSL4H4-M25	MICC4H4	M25
RPSL4H6-M32	MICC4H6	M32
RPSL4H10-M32	MICC4H10	M32
RPSL4H16-M40	MICC4H16	M40
RPSL4H25-M40	MICC4H25	M40

Single Core Cables

Code	Cable Size	Gland Size
RPSL1H2.5	MICC1H2.5	M20
RPSL1H4	MICC1H4	M20
RPSL1H6	MICC1H6	M20
RPSL1H10-M25	MICC1H10	M25
RPSL1H16-M25	MICC1H16	M25
RPSL1H25-M32	MICC1H25	M32
RPSL1H35-M32	MICC1H35	M32
RPSL1H50-M40	MICC1H50	M40



Pack Contents

The RPSL pack consists of brass pots with 150mm Earth Tail, stub caps, RMX sealing compound, Black PVC sleeving and Green/Yellow PVC Sleeving.

PVC Sleeving

10x Stub Caps

RMX Compound

10x RPSL Pots + 150mm Earth Tail

